

CBSE Class 12 Mathematics

Model Question Paper

(SET – 8)

Time: 3 Hours | Maximum Marks: 80

Section A (1×20 = 20 Marks) – MCQs

1. If $|A| = 5$ for a 3×3 matrix A , then $|2A| =$
 - (a) 10
 - (b) 20
 - (c) 40
 - (d) 8
2. If $f(x) = e^{x^2}$, then $f'(x) =$
 - (a) $2xe^{x^2}$
 - (b) e^{2x}
 - (c) xe^{x^2}
 - (d) $2e^x$
3. Order and degree of

$$\left(\frac{d^2y}{dx^2}\right)^3 + \frac{dy}{dx} = 0$$

are

- (a) 2,3
 - (b) 3,2
 - (c) 2,1
 - (d) 1,3
4. If $a \cdot b = |a||b|$, then angle between vectors is
 - (a) 0°
 - (b) 90°
 - (c) 180°
 - (d) 45°
 5. $\int_0^1 (3x + 1)dx =$
 - (a) $5/2$
 - (b) 3

- (c) 2
(d) 1
6. If $P(A)=0.5$, $P(B)=0.3$ and A,B independent, then $P(A \cup B)=$
(a) 0.65
(b) 0.8
(c) 0.15
(d) 0.5
7. $\lim_{x \rightarrow 0} \frac{1 - \cos x}{x^2} =$
(a) 1
(b) $1/2$
(c) 0
(d) 2
8. If A is skew-symmetric matrix, then $A^T =$
(a) A
(b) $-A$
(c) 0
(d) I
9. Distance of point (3,4,12) from origin is
(a) 13
(b) $\sqrt{169}$
(c) $\sqrt{169}$
(d) 12
10. If $E(X)=6$ and $\text{Var}(X)=4$, then $E(X^2)=$
(a) 40
(b) 36
(c) 10
(d) 16
11. Derivative of $\sec x$ is
(a) $\sec x \tan x$
(b) $\tan x$
(c) $\sec^2 x$
(d) $\text{cosec } x$
12. $\int \frac{dx}{1+x^2} =$
(a) $\tan^{-1} x + C$
(b) $\ln x$
(c) $\sec x$
(d) $\sin^{-1} x$

13. If events A and B are mutually exclusive, then

- (a) $P(A \cup B) = P(A) + P(B)$
- (b) $P(A \cap B) = P(A)P(B)$
- (c) $P(A \cap B) = 1$
- (d) None

14. If $X \sim \text{Bin}(10, 1/2)$, mean is

- (a) 10
- (b) 5
- (c) 2
- (d) $1/2$

15. Determinant of $2I$ (order 3) is

- (a) 2
- (b) 8
- (c) 6
- (d) 4

16. If A is orthogonal matrix, then $|A| =$

- (a) 0
- (b) 1
- (c) ± 1
- (d) 2

17. If $dy/dx = 6x^5$, then $y =$

- (a) $x^6 + C$
- (b) $x^6/6 + C$
- (c) $x^5 + C$
- (d) $6x^6 + C$

18. If $a = (1, 1, 1)$, $b = (1, -1, 0)$, then $a \cdot b =$

- (a) 0
- (b) 1
- (c) -1
- (d) 2

19. $\int_0^1 e^x dx =$

- (a) e
- (b) $e-1$
- (c) 1
- (d) 0

20. Rank of identity matrix of order 5 is

- (a) 1

- (b) 0
- (c) 5
- (d) 25

Section B (2×6 = 12 Marks)

21. Find inverse of matrix

$$\begin{bmatrix} 1 & 3 \\ 2 & 5 \end{bmatrix}$$

22. Differentiate $y = \tan^{-1} x$

23. Find equation of normal to curve $y = x^2$ at $x=1$.

24. Evaluate $\int (5x^4 - 3x^2) dx$

25. Find unit vector in direction of vector $2i + 2j + k$.

26. A card is drawn from pack of 52 cards. Find probability of getting a black king.

Section C (3×8 = 24 Marks)

27. Using determinants, solve:

$$\begin{matrix} x + y + z = 6 \\ 2x + 3y + z = 14 \\ 2x + 3y + z = 13 \end{matrix}$$

28. Find dy/dx if $x^2 + xy + y^2 = 9$.

29. Evaluate $\int_0^2 x e^x dx$

30. Show that points (1,2,3), (2,4,6), (4,8,12) are collinear.

31. A die is thrown three times. Find probability of getting exactly one 5.

32. Solve differential equation:

$$\frac{dy}{dx} + 3y = 0$$

33. Find area bounded by curve $y=4x-x^2$ and x-axis.

34. Find equation of sphere passing through origin and having centre (1,2,2).

Section D (4×6 = 24 Marks)

35. If

$$A = \begin{bmatrix} 2 & 1 & 1 \\ 1 & 2 & 1 \\ 1 & 1 & 2 \end{bmatrix}$$

find $\text{adj}(A)$ and A^{-1} .

36. Verify Lagrange's Mean Value Theorem for $f(x)=x^3$ on $[1,2]$.

37. Evaluate $\int x^2 e^x dx$

38. Find shortest distance between skew lines:

$$\frac{x}{1} = \frac{y-1}{2} = \frac{z}{-1}$$

and

$$\frac{x-2}{2} = \frac{y}{-1} = \frac{z+1}{1}$$

39. Find mean and variance of Binomial distribution $n=7$, $p=1/2$.

40. Solve differential equation:

$$\frac{dy}{dx} - 2y = e^{2x}$$